Author Index

Arimatsu, Y. and Miyamoto, M., Survivalpromoting effect of NGF on in vitro septohippocampal neurons with cholinergic and GABAergic phenotypes, 189

Ashwell, K., The distribution of microglia and cell death in the fetal rat forebrain, 1

Bacon, E., De Barry, J. and Gombos, G., Differential ontogenesis of type I and II benzodiazepine receptors in mouse cerebellum, 283

Baghdassarian-Chalaye, D., see Gavaret, J.-M., 43

Barg, J., see Rius, R.A., 237

Beaston-Wimmer, P. and Smolten, A.J., Gender differences in neurotransmitter expression in the rat superior cervical ganglion, 123

Bem, W.T., see Rius, R.A., 237 Bentivoglio, M., see Frassoni, C., 243 Besson, M.-J., see Caboche, J., 111

Bronchti, G., Rado, R., Terkel, J. and Wollberg, Z., Retinal projections in the blind mole rat: a WGA-HRP tracing study of a natural degeneration, 159

Burke, R.E., Kent, J., Kenyon, N. and Karanas, A., Unilateral hypoxic-ischemic injury in neonatal rat results in a persistent increase in the density of striatal tyrosine hydroxylase immunoperoxidase staining, 171

Caboche, J., Rogard, M. and Besson, M.-J., Comparative development of D₁-dopamine and opiate receptors in normal and in 6-hydroxydopamine-lesioned neonatal rat striatum: dopaminergic fibers regulate but not D₁ receptor distribution, 111

Castro, A.J., Hogan, T.P., Sørensen, J.Chr., Klausen, B.S., Danielsen, E.H., Zimmer, J. and Neafsey, E.J., Heterotopic neocortical transplants. An anatomical and electrophysiological analysis of host projections to occipital cortical grafts placed into sensorimotor cortical lesions made in newborn rats, 231

Ciaranello, R.D., see Roth, B.L., 51 Clarke, P.J., see Kent, C., 147 Coscia, C.J., see Rius, R.A., 237

Danielsen, E.H., see Castro, A.J., 231
De Barry, J., see Bacon, E., 283
De Boer-Van Huizen, R., see Ten Donkelaar, H.J., 297
Dreifuss, J.J., see Tribollet, E., 13
Dubois-Dauphin, M., see Tribollet, E., 13
Duncan, C.P., Seidler, F.J. and Slotkin,

Duncan, C.P., Seidler, F.J. and Slotkin, T.A., Effects of MK-801 on DNA synthesis in neonatal rat brain regions under normoxic and hypoxic conditions, 67

Emson, P.C., see Kiyama, H., 293

Fairen, A., see Frassoni, C., 243

Frassoni, C., Bentivoglio, M., Spreafico, R., Sánchez, M.P., Puelles, L. and Fairen, A., Postnatal development of calbindin and parvalbumin immunoreactivity in the thalamus of the rat, 243

Gallardo, K.A., see Robertson, R.T., 81 Garcia-Rill, E., see Iwahara, T., 257

Gavaret, J.-M., Toru-Delbauffe, D., Baghdassarian-Chalaye, D., Pomerance, M. and Pierre, M., Thyroid hormone action: induction of morphological changes and protein secretion in astroglial cell cultures, 43

Ghooray, G., see Martin, G.F., 203 Gombos, G., see Bacon, E., 283 Goumaz, M., see Tribollet, E., 13

Hamblin, M.W., see Roth, B.L., 51
Hathaway, O.Y., see Sutton, D., 59
Ho, R.H., see Martin, G.F., 203
Hogan, T.P., see Castro, A.J., 231
Holtzman, D., McFarland, E.W., Jacobs, D., Offut, M.C. and Neuringer, L.J., Maturational increase in mouse brain creatine kinase reaction rates shown by phos-

phorus magnetic resonance, 181

Ichijo, H., see Matsuna, T., 265
Iwahara, T., Van Hartesveldt, C., Garcia-Rill, E. and Skinner, R.D., L-DOPA-induced air-stepping in decerebrate developing rats, 257

Jacobs, D., see Holtzman, D., 181

Kageyama, G.H., see Robertson, R.T., 81
Karanas, A., see Burke, R.E., 171
Kent, C. and Clarke, P.J., The immunolocalisation of the neuroendocrine specific protein PGP9.5 during neurogenesis in

the rat, 147 Kent, J., see Burke, R.E., 171 Kenyon, N., see Burke, R.E., 171

Kilbourne, E.J., Osaka, H. and Sabban, E.L., Hypomethylation of the rat tyrosine hydroxylase gene correlates with its expression in several cell types, 143

Kiyama, H., Emson, P.C., Sato, M. and Tohyama, M., The transient appearance of proneurotensin mRNA in the rat hypoglossal nucleus during development, 293 Klausen, B.S., see Castro, A.J., 231

LaBelle, D.E., see Oakley, B., 215 Lamb, A.H., see Sheard, P.W., 133 Loh, Y.P., see Rius, R.A., 237

Mark, R.F., see Waite, P.M.E., 35
Marotte, L.R., see Waite, P.M.E., 35
Martin, G.F., Ghooray, G., Ho, R.H.,
Pindzola, P.R. and Xu, X.M., The origin
of serotoninergic projections to the lumbosacral spinal cord at different stages of

development in the North American opossum, 203

Matsuna, T., Ichijo, H. and Nakamura, H., Regulation of the rostocaudal axis of the optic tectum: histological study after rostrocaudal rotation in quail-chick chimeras, 265

McFarland, B.J., Seidler, F.J. and Slotkin, T.A., Inhibition of DNA synthesis in neonatal rat brain regions caused bij acute nicotine administration, 223

McFarland, E.W., see Holtzman, D., 181
Miyamoto, M., see Arimatsu, Y., 189
Mostamand, F., see Robertson, R.T., 81
Mower, G.D., The effect of dark rearing on the time course of the critical period in cat visual cortex, 157

Nakamura, H., see Matsuna, T., 265 Neafsey, E.J., see Castro, A.J., 231 Neuringer, L.J., see Holtzman, D., 181

Oakley, B., LaBelle, D.E., Riley, R.A., Wilson, K. and Wu, L.-H., The rate and locus of development of rat vallate taste buds, 215

Offut, M.C., see Holtzman, D., 181 Osaka, H., see Kilbourne, E.J., 143

Pierre, M., see Gavaret, J.-M., 43 Pindzola, P.R., see Martin, G.F., 203 Pomerance, M., see Gavaret, J.-M., 43 Porter, J.D., see Van Hartesveldt, C., 251 Puelles, L., see Frassoni, C., 243

Rado, R., see Bronchti, G., 159
Raggenbass, M., see Tribollet, E., 13
Riley, R.A., see Oakley, B., 215
Rius, R.A., Barg, J., Bem, W.T., Coscia, C.J. and Loh, Y.P., The prenatal developmental profile of expression of opioid peptides and receptors in the mouse

Roberts, B.L., see Smit, W.A., 73
Robertson, R.T., Mostamand, F., Kageyama, G.H., Gallardo, K.A. and Yu, J., Primary auditory cortex in the rat: transient expression of acetylcholinesterase activity in developing geniculocortical projections, 81

brain, 237

Rogard, M., see Caboche, J., 111 Roth, B.L., Hamblin, M.W. and Ciaranello, R.D., Developmental regulation of 5-HT₂ and 5-HT_{1C} mRNA and receptor levels, 51

Sabban, E.L., see Kilbourne, E.J., 143
Sánchez, M.P., see Frassoni, C., 243
Sato, M., Shiosaka, S. and Tohyama, M.,
Neurotensin and neuromedin N elevate
the cytosolic calcium concentration via
transiently appearing neurotensin binding
sites in cultured rat cortex cells, 97
Sato, M., see Kiyama, H., 293

Sato, M., see Zhang, J.-H., 289

Scherer, W.J. and Udin, S.B., Latency and temporal overlap of visually elicited contralateral and ipsilateral firing in *Xenopus* tectum during and after the critical period, 129

Seib, T., see Sutton, D., 59

Seidler, F.J., see Duncan, C.P., 67

Seidler, F.J., see McFarland, B.J., 223

Sheard, P.W. and Lamb, A.H., Motoneuron and muscle fibre counts in normal and bilaterally innervated *Xenopus* hindlimbs, 133

Shiosaka, S., see Sato, M., 97

Sickles, A.E., see Van Hartesveldt, C., 251 Silverman, W.F. and Sladek Jr., J.R., Ultrastructural changes in magnocellular neurons from the supraoptic nucleus of aged rats, 25

Skinner, R.D., see Iwahara, T., 257 Sladek Jr., J.R., see Silverman, W.F., 25 Slotkin, T.A., see Duncan, C.P., 67

Slotkin, T.A., see McFarland, B.J., 223
Smalheiser, N.R., Cell attachment and neurite stability in NG108-15 cells: what is the role of microtubules?, 271

Smit, W.A., Roberts, B.L. and Velzing, E.H., Changes in size and number of spinal motoneurons in relation to growth of the musculature in the eel, Anguilla, 73 Smolten, A.J., see Beaston-Wimmer, P.,

Sørensen, J. Chr., see Castro, A.J., 231 Spelman, F.A., see Sutton, D., 59 Spreafico, R., see Frassoni, C., 243 Stehouwer, D.J., see Van Hartesveldt, C.,

Sutton, D., Hathaway, O.Y., Seib, T. and Spelman, F.A., Macaque anteroventral cochlear nucleus: developmental anat-

omy, 59

Ten Donkelaar, H.J., De Boer-Van Huizen, R. and Van der Linden, J.A.M., Early development of rubrospinal and cerebelorubral projections in *Xenopus laevis*, 297

Terkel, J., see Bronchti, G., 159 Tohyama, M., see Kiyama, H., 293 Tohyama, M., see Sato, M., 97

Tohyama, M., see Zhang, J.-H., 289

Toru-Delbauffe, D., see Gavaret, J.-M., 43
Tribollet, E., Goumaz, M., Raggenbass, M., Dubois-Dauphin, M. and Dreifuss, J.J., Early appearance and transient expression of vasopressin receptors in the brain of rat fetus and infant. An autoradiographical and electrophysiological study, 13

Udin, S.B., see Scherer, W.J., 129

Van der Linden, J.A.M., see Ten Donkelaar, H.J., 297

Van Hartesveldt, C., Sickles, A.E., Porter, J.D. and Stehouwer, D.J., L-DOPA-induced air-stepping in developing rats, 251 Van Hartesveldt, C., see Iwahara, T., 257 Velzing, E.H., see Smit, W.A., 73

Waite, P.M.E., Marotte, L.R. and Mark, R.F., Development of whisker representation in the cortex of the tammar wallaby Macropus eugenii, 35

Wilson, K., see Oakley, B., 215 Wollberg, Z., see Bronchti, G., 159 Wu, L.-H., see Oakley, B., 215

Xu, X.M., see Martin, G.F., 203

Yu, J., see Robertson, R.T., 81

Zhang, J.-H., Sato, M. and Tohyama, M., Different postnatal ontogenic profiles of neurons containing β (β_1 , β_2 and β_3) subunit mRNAs of GABA_A receptor in the rat thalamus, 289

Zimmer, J., see Castro, A.J., 231

Zurn, A.D., Catecholaminergic traits of chick sympathetic neurons may be differentially regulated by a cGMP-dependent pathway, 105